




Mighty^{lite}

Insulated Pan Carriers


25 lbs.
VS. ONLY 9 lbs.
4.1 kg
60% lighter
than traditionally molded carriers



2 YEAR

No Quibble
WARRANTY

Keeps food safe **5+ HRS.**



Part Number	Description
ML300	4-pan Front-Load
ML400	6-pan Front-Load
MLD1	Dolly w/Strap
MLP1	Thermal Partition
MLC1	Wire Caddy

Mighty **affordable.**
Mighty **tough.**
Mighty **easy to carry.**
Mighty **lite.**

- Weight: ML300 9.1lbs (4.1kg), ML400 11.3 lbs (5.1kg)
- 8 convenient, integrated handles
- 2-year warranty
- Holds 12x20 - G/N 1/1 pans (also 1/3, 1/2, 2/3 fractional pans)
- Stackable with each other and on optional dolly
- Built-in door seal and unbreakable elastomer travel latch

BONUS
Wire Caddy
Included.



C5 4 Series

with Insulation Armour™ Plus


High performance holding and energy efficiency at a lower initial investment.

Performance & Value



Part Number	Doors	Sides
C549-ASFS-U	Full Solid	Universal
C549-ASDS-U	Dutch Solid	Universal
C543-ASFS-U	Under Counter	Universal

Dimensions: 69-1/2"H x 30"W x 33"D, Under Counter 30-1/2"H
Universal slides hold 12x20 steam pans and 18x26 sheet pans



NEMA 5-15P
120V, 60Hz,
1400W



C5 3 Series

with Insulation Armour™

Cool-to-touch design provides energy efficiency at a lower initial investment.

Based on initial investment and energy costs
Great VALUE

Part Number	Control	Doors	Sides
C539-CDC-U	Holding & Proofing	Dutch Clear	Universal
C539-HDS-U	Holding	Dutch Solid	Universal

Dimensions: 71"H x 27-5/8"W x 31-1/2"D
Universal slides hold 12x20 steam pans and 18x26 sheet pans



NEMA 5-20P
120V, 60Hz,
2000W

MetroMax[®]

Forever Shelving—Stronger, cleaner, superior in any environment.



MetroMax 4[™]

All Polymer Shelving System

- All polymer construction is corrosion proof and impact resistant to last a lifetime; shelves and posts offer a lifetime warranty against rust and corrosion
- Proven Metro corner and frame design delivers stability across stationary, mobile, and high density track shelving - simple and reliable!
- Lift-off open grid and solid polymer shelf mats withstand abuse from rough stuff like polycarbonate containers, stainless pans and heavy boxes; shelf mats clean up easily by hand or in a dish machine in a fraction of the time of wire shelving
- Built to handle what you store the most; holds up to 600 lbs (272 kg) per shelf— 2000 lbs (907kg) per stationary unit—that's a lot of stuff!



Polymer Casters



Wheel Diameter	Swivel Caster	Swivel Caster w/ Brake	CS PK
5"	5PCX	5PCBX	4

MetroMax 4" Shelves

Width/Length	CS PK	MetroMax 4" Open Grid Shelves Cat. No.	MetroMax 4" Solid Shelves Cat. No.
18x36	4	MAX4-1836G	MAX4-1836F
18x48	4	MAX4-1848G	MAX4-1848F
18x60	2	MAX4-1860G	MAX4-1860F
21x36	4	MAX4-2136G	MAX4-2136F
21x48	4	MAX4-2148G	MAX4-2148F
21x60	2	MAX4-2160G	MAX4-2160F
24x36	4	MAX4-2436G	MAX4-2436F
24x48	4	MAX4-2448G	MAX4-2448F
24x60	2	MAX4-2460G	MAX4-2460F

Polymer Posts

Length	Polymer Posts	CS PK
54	MX54P	4
63	MX63P	4
74	MX74P	4
86	MX86P	4
Length	Mobile Polymer Posts	CS PK
54	MX54UP	4
63	MX63UP	4

Consult your Metro representative for configuration requirements and pricing on 18" and 21" width options.

MetroMax i[®] and MetroMax Q[®]

- Designed for longer-life product performance
- Specify the perfect components with interchangeable shelves, posts, and accessories
- Promote a cleaner environment and higher level of food safety with removable mats and easy-to-clean surfaces
- Robust construction holds up to 800 lbs per shelf. 2000 lbs per stationary unit

Polymer Casters

Wheel Diameter	Swivel Caster	Swivel Caster w/ Brake	CS PK
5"	5PCX	5PCBX	4

Posts

Length	Polymer Posts	CS PK	Epoxy Coated Steel Posts	CS PK
54	MX54P	4	MQ54PE	4
63	MX63P	4	MQ63PE	4
74	MX74P	4	MQ74PE	4
Length	Mobile Polymer Posts	CS PK	Mobile Epoxy Coated Steel Posts	CS PK
54	MX54UP	4	MQ54UPE	4
63	MX63UP	4	MQ63UPE	4

Shelves

Width/Length	CS PK	i Solid Shelves Cat. No.	i Open Grid Shelves Cat. No.	Q Open Grid Shelves Cat. No.	CS PK
18x36	4	MX1836F	MX1836G	MQ1836G	4
18x48	4	MX1848F	MX1848G	MQ1848G	4
18x60	2	MX1860F	MX1860G	MQ1860G	2
24x36	4	MX2436F	MX2436G	MQ2436G	4
24x48	4	MX2448F	MX2448G	MQ2448G	4
24x60	2	MX2460F	MX2460G	MQ2460G	2



**Nothing
gets in
the way of
productivity**



SmartLever™
Multifunctional
Storage & Workstations

Easy Access.
Optimize space & workflow.

TriMark
Foodservice Equipment, Supplies and Design
R.W. SMITH



Allow 2-4 weeks delivery on special order items.

Every effort has been made to verify the accuracy of all data contained in this publication, however, we cannot assume responsibility for errors or omissions.

PRSR STD
U.S. POSTAGE
PAID
SAN DIEGO, CA
PERMIT NO. 679

www.rwsmithco.com

San Diego
8555 Miralani Drive
P.O. Box 26160
858-530-1800

Palm Springs
760-340-2424

Los Angeles
323-291-0848

Houston, TX
281-498-3335

Dallas
512-605-6076

Austin
512-605-6076

Miami
305-485-8800

Irvine
210 Commerce
Irvine, CA 92602
949-474-1000

San Francisco
415-391-8641

Sacramento
916-551-1458

Phoenix
602-528-3485

Tucson
520-742-6108

Orlando
407-859-0601

Ft Lauderdale
954-202-9606

All Other Areas
Toll Free 800-942-1101

UNLESS STATED OTHERWISE, ALL ITEMS ARE SOLD BY EACH.

Control cross-contact and protect
your customers with the
Allergen Free Zone
myCart

myCart Series™

- Available in 2-shelf and 3-shelf configurations
- 7/16" (11mm) deep ship's edge lip around shelf perimeter
- MY1627 and MY2030 Base Model specs: Chrome posts, 4" non-marking swivel casters, 150 lb (68kg) capacity per shelf
- The blue myCart Models have built-in Microban® antimicrobial product protection
- The myCart series has 50% more legroom than conventional carts
- Each cart comes with two personalization labels for easy identification

PROTECTION THAT LIVES ON
MICROBAN®



50%
of fatal episodes from food allergens
occur outside the home.*

*US - FARE



We put space to work.®

Width/Length/Height With Handle (in)	Description	Cat. No. Purple Allergen Free Zone	Cat. No. Black	Cat. No. Gray	Cat. No. Blue with Antimicrobial
18 5/16 x 31 7/16 x 35 3/8	2-shelf unit Base Model	—	MY1627-24BL	MY1627-24G	MY1627-24BU
18 5/16 x 31 7/16 x 35 3/8	3-shelf unit Base Model	—	MY1627-34BL	MY1627-34G	MY1627-34BU
23 1/2 x 34 3/8 x 35 3/8	2-shelf unit Base Model	MY2030-24AP	MY2030-24BL	MY2030-24G	MY2030-24BU
23 1/2 x 34 3/8 x 35 3/8	3-shelf unit Base Model	MY2030-34AP	MY2030-34BL	MY2030-34G	MY2030-34BU